

# Formal Philosophy of Language

Péter Mekis  
Department of Logic, ELTE Budapest  
mekis.peter@gmail.com

May 13, 2015

# Intensional type theory

Type structure:

- ▶ e, t

# Intensional type theory

Type structure:

- ▶ e, t
- ▶  $\langle \alpha, \beta \rangle$

# Intensional type theory

Type structure:

- ▶  $e, t$
- ▶  $\langle \alpha, \beta \rangle$
- ▶  $\langle s, \alpha \rangle$

# Intensional type theory

Type structure:

- ▶  $e, t$
- ▶  $\langle \alpha, \beta \rangle$
- ▶  $\langle s, \alpha \rangle$

Examples:

- ▶  $\langle s, e \rangle$

# Intensional type theory

Type structure:

- ▶  $e, t$
- ▶  $\langle \alpha, \beta \rangle$
- ▶  $\langle s, \alpha \rangle$

Examples:

- ▶  $\langle s, e \rangle$
- ▶  $\langle s, t \rangle$

# Intensional type theory

Type structure:

- ▶  $e, t$
- ▶  $\langle \alpha, \beta \rangle$
- ▶  $\langle s, \alpha \rangle$

Examples:

- ▶  $\langle s, e \rangle$
- ▶  $\langle s, t \rangle$
- ▶  $\langle s, \langle e, t \rangle \rangle$

# Intensional type theory

Type structure:

- ▶  $e, t$
- ▶  $\langle \alpha, \beta \rangle$
- ▶  $\langle s, \alpha \rangle$

Examples:

- ▶  $\langle s, e \rangle$
- ▶  $\langle s, t \rangle$
- ▶  $\langle s, \langle e, t \rangle \rangle$
- ▶  $\langle \langle s, e \rangle, t \rangle \rangle$



# Intensional type theory

Type structure:

- ▶  $e, t$
- ▶  $\langle \alpha, \beta \rangle$
- ▶  $\langle s, \alpha \rangle$

Examples:

- ▶  $\langle s, e \rangle$
- ▶  $\langle s, t \rangle$
- ▶  $\langle s, \langle e, t \rangle \rangle$
- ▶  $\langle \langle s, e \rangle, t \rangle \rangle$

# Intensional type theoretical languages: syntax

- ▶  $e \in \text{Typ}, t \in \text{Typ}; \langle \alpha, \beta \rangle \in \text{Typ}; \langle s, \alpha \rangle \in \text{Typ}.$

# Intensional type theoretical languages: syntax

- ▶  $e \in \text{Typ}, t \in \text{Typ}; \langle \alpha, \beta \rangle \in \text{Typ}; \langle s, \alpha \rangle \in \text{Typ}.$
- ▶  $\text{Var} = \bigcup_{\alpha \in \text{Typ}} \text{Var}_{\alpha};$

# Intensional type theoretical languages: syntax

- ▶  $e \in \text{Typ}, t \in \text{Typ}; \langle \alpha, \beta \rangle \in \text{Typ}; \langle s, \alpha \rangle \in \text{Typ}.$
- ▶  $\text{Var} = \bigcup_{\alpha \in \text{Typ}} \text{Var}_{\alpha};$
- ▶  $\text{Con} = \bigcup_{\alpha \in \text{Typ}} \text{Con}_{\alpha};$

# Intensional type theoretical languages: syntax

- ▶  $e \in \text{Typ}, t \in \text{Typ}; \langle \alpha, \beta \rangle \in \text{Typ}; \langle s, \alpha \rangle \in \text{Typ}.$
- ▶  $\text{Var} = \bigcup_{\alpha \in \text{Typ}} \text{Var}_\alpha;$
- ▶  $\text{Con} = \bigcup_{\alpha \in \text{Typ}} \text{Con}_\alpha;$
- ▶  $\text{Var}_\alpha \subseteq \text{Exp}_\alpha; \text{Con}_\alpha \subseteq \text{Exp}_\alpha;$

# Intensional type theoretical languages: syntax

- ▶  $e \in \text{Typ}, t \in \text{Typ}; \langle \alpha, \beta \rangle \in \text{Typ}; \langle s, \alpha \rangle \in \text{Typ}.$
- ▶  $\text{Var} = \bigcup_{\alpha \in \text{Typ}} \text{Var}_\alpha;$
- ▶  $\text{Con} = \bigcup_{\alpha \in \text{Typ}} \text{Con}_\alpha;$
- ▶  $\text{Var}_\alpha \subseteq \text{Exp}_\alpha; \text{Con}_\alpha \subseteq \text{Exp}_\alpha;$

## Intensional type theoretical languages: syntax (cont.)

▶  $\ulcorner \varphi_\alpha = \psi_\alpha \urcorner \in \text{Exp}_t$ ;

## Intensional type theoretical languages: syntax (cont.)

- ▶  $\ulcorner (\varphi_\alpha = \psi_\alpha) \urcorner \in \text{Exp}_t$ ;
- ▶  $\ulcorner \varphi_{\langle \alpha, \beta \rangle}(\psi_\alpha) \urcorner \in \text{Exp}_\beta$ ;



## Intensional type theoretical languages: syntax (cont.)

- ▶  $\ulcorner (\varphi_\alpha = \psi_\alpha) \urcorner \in \text{Exp}_t$ ;
- ▶  $\ulcorner \varphi_{\langle \alpha, \beta \rangle}(\psi_\alpha) \urcorner \in \text{Exp}_\beta$ ;
- ▶  $\ulcorner (\lambda x_\alpha \varphi_\beta) \urcorner \in \text{Exp}_{\langle \alpha, \beta \rangle}$ ;

## Intensional type theoretical languages: syntax (cont.)

- ▶  $\ulcorner (\varphi_\alpha = \psi_\alpha) \urcorner \in \text{Exp}_t$ ;
- ▶  $\ulcorner \varphi_{\langle \alpha, \beta \rangle}(\psi_\alpha) \urcorner \in \text{Exp}_\beta$ ;
- ▶  $\ulcorner (\lambda x_\alpha \varphi_\beta) \urcorner \in \text{Exp}_{\langle \alpha, \beta \rangle}$ ;
- ▶  $\ulcorner \hat{\varphi}_\alpha \urcorner \in \text{Exp}_{\langle s, \alpha \rangle}$ ;

## Intensional type theoretical languages: syntax (cont.)

- ▶  $\ulcorner (\varphi_\alpha = \psi_\alpha) \urcorner \in \text{Exp}_t$ ;
- ▶  $\ulcorner \varphi_{\langle \alpha, \beta \rangle}(\psi_\alpha) \urcorner \in \text{Exp}_\beta$ ;
- ▶  $\ulcorner (\lambda x_\alpha \varphi_\beta) \urcorner \in \text{Exp}_{\langle \alpha, \beta \rangle}$ ;
- ▶  $\ulcorner \hat{\varphi}_\alpha \urcorner \in \text{Exp}_{\langle s, \alpha \rangle}$ ;
- ▶  $\ulcorner \tilde{\varphi}_{\langle s, \alpha \rangle} \urcorner \in \text{Exp}_\alpha$ ;

## Intensional type theoretical languages: syntax (cont.)

- ▶  $\ulcorner (\varphi_\alpha = \psi_\alpha) \urcorner \in \text{Exp}_t$ ;
- ▶  $\ulcorner \varphi_{\langle \alpha, \beta \rangle}(\psi_\alpha) \urcorner \in \text{Exp}_\beta$ ;
- ▶  $\ulcorner (\lambda x_\alpha \varphi_\beta) \urcorner \in \text{Exp}_{\langle \alpha, \beta \rangle}$ ;
- ▶  $\ulcorner \hat{\varphi}_\alpha \urcorner \in \text{Exp}_{\langle s, \alpha \rangle}$ ;
- ▶  $\ulcorner \tilde{\varphi}_{\langle s, \alpha \rangle} \urcorner \in \text{Exp}_\alpha$ ;
- ▶  $\ulcorner W\varphi_t \urcorner \in \text{Exp}_t$ ;

## Intensional type theoretical languages: syntax (cont.)

- ▶  $\ulcorner (\varphi_\alpha = \psi_\alpha) \urcorner \in \text{Exp}_t$ ;
- ▶  $\ulcorner \varphi_{\langle \alpha, \beta \rangle}(\psi_\alpha) \urcorner \in \text{Exp}_\beta$ ;
- ▶  $\ulcorner (\lambda x_\alpha \varphi_\beta) \urcorner \in \text{Exp}_{\langle \alpha, \beta \rangle}$ ;
- ▶  $\ulcorner \hat{\varphi}_\alpha \urcorner \in \text{Exp}_{\langle s, \alpha \rangle}$ ;
- ▶  $\ulcorner \tilde{\varphi}_{\langle s, \alpha \rangle} \urcorner \in \text{Exp}_\alpha$ ;
- ▶  $\ulcorner W\varphi_t \urcorner \in \text{Exp}_t$ ;
- ▶  $\ulcorner H\varphi_t \urcorner \in \text{Exp}_t$ .

# Intensional type theoretical languages: domains

- ▶  $D$ : individual domain;

# Intensional type theoretical languages: domains

- ▶  $D$ : individual domain;
- ▶  $\{T, F\}$ : truth values;

# Intensional type theoretical languages: domains

- ▶  $D$ : individual domain;
- ▶  $\{T, F\}$ : truth values;
- ▶  $W$ : possible worlds;



# Intensional type theoretical languages: domains

- ▶  $D$ : individual domain;
- ▶  $\{T, F\}$ : truth values;
- ▶  $W$ : possible worlds;
- ▶  $T_{<}$ : moments (ordered by  $<$ );

## Intensional type theoretical languages: domains

- ▶  $D$ : individual domain;
- ▶  $\{T, F\}$ : truth values;
- ▶  $W$ : possible worlds;
- ▶  $T_{<}$ : moments (ordered by  $<$ );
- ▶  $I = \langle W \times T_{<} \rangle$ : indices;

# Intensional type theoretical languages: domains

- ▶  $D$ : individual domain;
- ▶  $\{T, F\}$ : truth values;
- ▶  $W$ : possible worlds;
- ▶  $T_{<}$ : moments (ordered by  $<$ );
- ▶  $I = \langle W \times T_{<} \rangle$ : indices;
- ▶  $D_e = D$ ;

# Intensional type theoretical languages: domains

- ▶  $D$ : individual domain;
- ▶  $\{T, F\}$ : truth values;
- ▶  $W$ : possible worlds;
- ▶  $T_{<}$ : moments (ordered by  $<$ );
- ▶  $I = \langle W \times T_{<} \rangle$ : indices;
- ▶  $D_e = D$ ;
- ▶  $D_t = \{T, F\}$ ;

# Intensional type theoretical languages: domains

- ▶  $D$ : individual domain;
- ▶  $\{T, F\}$ : truth values;
- ▶  $W$ : possible worlds;
- ▶  $T_{<}$ : moments (ordered by  $<$ );
- ▶  $I = \langle W \times T_{<} \rangle$ : indices;
- ▶  $D_e = D$ ;
- ▶  $D_t = \{T, F\}$ ;
- ▶  $D_{\langle \alpha, \beta \rangle} = D_\alpha D_\beta$ ;

# Intensional type theoretical languages: domains

- ▶  $D$ : individual domain;
- ▶  $\{T, F\}$ : truth values;
- ▶  $W$ : possible worlds;
- ▶  $T_{<}$ : moments (ordered by  $<$ );
- ▶  $I = \langle W \times T_{<} \rangle$ : indices;
- ▶  $D_e = D$ ;
- ▶  $D_t = \{T, F\}$ ;
- ▶  $D_{\langle \alpha, \beta \rangle} = D_\alpha D_\beta$ ;
- ▶  $S_\alpha = D_{\langle s, \alpha \rangle} = I D_\alpha$ .

# Intensional type theoretical languages: domains

- ▶  $D$ : individual domain;
- ▶  $\{T, F\}$ : truth values;
- ▶  $W$ : possible worlds;
- ▶  $T_{<}$ : moments (ordered by  $<$ );
- ▶  $I = \langle W \times T_{<} \rangle$ : indices;
- ▶  $D_e = D$ ;
- ▶  $D_t = \{T, F\}$ ;
- ▶  $D_{\langle \alpha, \beta \rangle} = D_\alpha D_\beta$ ;
- ▶  $S_\alpha = D_{\langle s, \alpha \rangle} = I D_\alpha$ .

# Intensional type theoretical languages: semantics

- ▶  $\varrho(c_\alpha) \in S_\alpha$ : interpretation;



# Intensional type theoretical languages: semantics

- ▶  $\varrho(c_\alpha) \in S_\alpha$ : interpretation;
- ▶  $g(x_\alpha) \in D_\alpha$ : assignment;

# Intensional type theoretical languages: semantics

- ▶  $\varrho(c_\alpha) \in S_\alpha$ : interpretation;
- ▶  $g(x_\alpha) \in D_\alpha$ : assignment;
- ▶  $\|\varphi_\alpha\|_g^{D, \varrho, I} \in S_\alpha$ : intension;

# Intensional type theoretical languages: semantics

- ▶  $\varrho(c_\alpha) \in S_\alpha$ : interpretation;
- ▶  $g(x_\alpha) \in D_\alpha$ : assignment;
- ▶  $\|\varphi_\alpha\|_g^{D,\varrho,I} \in S_\alpha$ : intension;
- ▶  $|\varphi_\alpha|_g^{D,\varrho,I} \in D_\alpha$ : extension.

# Intensional type theoretical languages: semantics

- ▶  $\varrho(c_\alpha) \in S_\alpha$ : interpretation;
- ▶  $g(x_\alpha) \in D_\alpha$ : assignment;
- ▶  $\|\varphi_\alpha\|_g^{D,\varrho,I} \in S_\alpha$ : intension;
- ▶  $|\varphi_\alpha|_g^{D,\varrho,I} \in D_\alpha$ : extension.

# Intensional type theoretical languages: semantics

▶  $\|c_\alpha\|_g^{D, \varrho, I} = \varrho(c_\alpha)$ ;

# Intensional type theoretical languages: semantics

- ▶  $\|c_\alpha\|_g^{D, \varrho, I} = \varrho(c_\alpha)$ ;
- ▶  $\|x_\alpha\|_g^{D, \varrho, I}(i) = g(x_\alpha)$ ;

# Intensional type theoretical languages: semantics

- ▶  $\|c_\alpha\|_g^{D,\varrho,I} = \varrho(c_\alpha)$ ;
- ▶  $\|x_\alpha\|_g^{D,\varrho,I}(i) = g(x_\alpha)$ ;
- ▶  $\|\ulcorner \varphi_\alpha = \psi_\alpha \urcorner\|_g^{D,\varrho,I}(i) =$

$$\begin{cases} \text{T if } \|\varphi_\alpha\|_g^{D,\varrho,I}(i) = \|\psi_\alpha\|_g^{D,\varrho,I}(i) ; \\ \text{F otherwise} \end{cases}$$

# Intensional type theoretical languages: semantics

- ▶  $\|c_\alpha\|_g^{D,\varrho,I} = \varrho(c_\alpha)$ ;
- ▶  $\|x_\alpha\|_g^{D,\varrho,I}(i) = g(x_\alpha)$ ;
- ▶  $\|\ulcorner \varphi_\alpha = \psi_\alpha \urcorner\|_g^{D,\varrho,I}(i) =$   
$$\begin{cases} \text{T} & \text{if } \|\varphi_\alpha\|_g^{D,\varrho,I}(i) = \|\psi_\alpha\|_g^{D,\varrho,I}(i) \\ \text{F} & \text{otherwise} \end{cases} ;$$
- ▶  $\|\ulcorner \varphi_{\langle \alpha, \beta \rangle}(\psi_\alpha) \urcorner\|_g^{D,\varrho,I}(i) = \|\varphi_{\langle \alpha, \beta \rangle}\|_g^{D,\varrho,I}(i)(\|\psi_\alpha\|_g^{D,\varrho,I}(i))$ ;



# Intensional type theoretical languages: semantics

- ▶  $\|c_\alpha\|_g^{D,\varrho,I} = \varrho(c_\alpha)$ ;
- ▶  $\|x_\alpha\|_g^{D,\varrho,I}(i) = g(x_\alpha)$ ;
- ▶  $\|\ulcorner \varphi_\alpha = \psi_\alpha \urcorner\|_g^{D,\varrho,I}(i) =$   
$$\begin{cases} \text{T} & \text{if } \|\varphi_\alpha\|_g^{D,\varrho,I}(i) = \|\psi_\alpha\|_g^{D,\varrho,I}(i) \\ \text{F} & \text{otherwise} \end{cases} ;$$
- ▶  $\|\ulcorner \varphi_{\langle\alpha,\beta\rangle}(\psi_\alpha) \urcorner\|_g^{D,\varrho,I}(i) = \|\varphi_{\langle\alpha,\beta\rangle}\|_g^{D,\varrho,I}(i)(\|\psi_\alpha\|_g^{D,\varrho,I}(i))$ ;
- ▶  $\|\ulcorner (\lambda x \varphi) \urcorner\|_g^{D,\varrho,I}(i)(d) = \|\varphi\|_{g[x:d]}^{D,\varrho,I}(i)$ .

# Intensional type theoretical languages: semantics

▶  $\|\ulcorner \hat{\varphi}_\alpha \urcorner\|_g^{D, \varrho, I}(i) = \|\ulcorner \varphi_\alpha \urcorner\|_g^{D, \varrho, I};$

# Intensional type theoretical languages: semantics

- ▶  $\|\ulcorner \hat{\varphi}_\alpha \urcorner\|_g^{D, \varrho, I}(i) = \|\ulcorner \varphi_\alpha \urcorner\|_g^{D, \varrho, I};$
- ▶  $\|\ulcorner \check{\varphi}_{\langle s, \alpha \rangle} \urcorner\|_g^{D, \varrho, I}(i) = \|\ulcorner \varphi_{\langle s, \alpha \rangle} \urcorner\|_g^{D, \varrho, I}(i)(i);$

# Intensional type theoretical languages: semantics

- ▶  $\|\ulcorner \hat{\varphi}_\alpha \urcorner\|_g^{D, \varrho, I}(i) = \|\ulcorner \varphi_\alpha \urcorner\|_g^{D, \varrho, I};$
- ▶  $\|\ulcorner \check{\varphi}_{\langle s, \alpha \rangle} \urcorner\|_g^{D, \varrho, I}(i) = \|\ulcorner \varphi_{\langle s, \alpha \rangle} \urcorner\|_g^{D, \varrho, I}(i)(i);$
- ▶  $\|\ulcorner \mathbf{W}\varphi_t \urcorner\|_g^{D, \varrho, I}(w, t) =$   
$$\begin{cases} \text{T if } \|\varphi\|_g^{D, \varrho, I}(w, t') = \text{T for some } t' < t \\ \text{F otherwise} \end{cases};$$

# Intensional type theoretical languages: semantics

- ▶  $\|\ulcorner \hat{\varphi}_\alpha \urcorner\|_g^{D, \varrho, I}(i) = \|\ulcorner \varphi_\alpha \urcorner\|_g^{D, \varrho, I};$
- ▶  $\|\ulcorner \tilde{\varphi}_{\langle s, \alpha \rangle} \urcorner\|_g^{D, \varrho, I}(i) = \|\ulcorner \varphi_{\langle s, \alpha \rangle} \urcorner\|_g^{D, \varrho, I}(i)(i);$
- ▶  $\|\ulcorner \mathbf{W}\varphi_t \urcorner\|_g^{D, \varrho, I}(w, t) =$   
$$\begin{cases} \text{T if } \|\varphi\|_g^{D, \varrho, I}(w, t') = \text{T for some } t' < t \\ \text{F otherwise} \end{cases};$$
- ▶  $\|\ulcorner \mathbf{H}\varphi_t \urcorner\|_g^{D, \varrho, I}(w, t) =$   
$$\begin{cases} \text{T if } \|\varphi\|_g^{D, \varrho, I}(w, t') = \text{T for some } t < t' \\ \text{F otherwise} \end{cases};$$